The following are the further conditions to which the contractor should bind himself:—

(*a*) That he shall fell the trees purchased by him before the 30th June 1941.

(*b*) That he shall fell the trees purchased by him in a methodical manner from one side of the coupe coppicing the stumps of the trees felled.

(*c*) That each consignment of charcoal shall be covered by a passport issued by the Range Officer or any other officer deputed by the District Forest Officer in this behalf.

(*d*) That if any tree, shrub or growth reserved by the department and not marked for felling is cut, he shall pay a fine not exceeding Rs. 10 per tree.

(*e*) That he shall abide by the rules of the Department as regards the kindling of fire and shall hold himself responsible for any forest offences committed by his employees or workmen.

(*f*) That he shall not sublet the contract to anybody except with the written sanction of the District Forest Officer.

(*g*) That he shall have no right whatsoever over the coupe and over the fuel or charcoal left unremoved in any of the coupes, after 30th June 1941.

(*h*) That he shall maintain a register in the form prescribed by the District Forest Officer showing the number of trees felled and the outturn of charcoal resulting therefrom and shall keep it open for the examination of Forest Officers above the grade of Guards.

(*i*) That for any breach of any of the conditions of the contract by the contractor or his agents, the contract shall be void at the option of the District Forest Officer and that the latter may, after issuing to the contractor a notice of the cancellation of the contract, enforce forfeiture of all or any part of the deposit and shall resell the right or work it departmentally at the risk of the contractor as in clause (2) *supra*. If the deposit or part thereof is so forfeited, it shall be immediately made good by the contractor.

L. SRINIVASA MURTHI,
District Forest Officer.

ENGINEERING DEPARTMENT

BUREAU OF SANITARY ENGINEERING, BANGALORE.

Notification dated 31st May 1940.

Notice is hereby given that sealed tenders will be received at the Office of the Sanitary Engineer, Bureau of Sanitary Engineering, Bangalore, up to 1 P.M. on 26th June 1940, for constructing 3rd stage drains in Dodballapur. An approximate estimate of quantities is given below. These quantities are not guaranteed. The work should be completed by September 1940.

2. The plans, detailed estimate and conditions may be seen at the Sanitary Engineer's Office between the hours of 11 A.M. and 5 P.M. on all office days.

3. Tenders should be submitted on printed forms which may be obtained from the Sanitary Engineer on payment of annas four for each form. The tenders should be accompanied by a statement in the form given below, showing the rates at which the different items specified will be executed.

4. Each tender must be accompanied by a deposit of Rs. 242 in cash (no cheques will be accepted) as earnest money, and be superscribed "Tender for constructing 3rd stage drains in Dodballapur," in default of which the tenders will be rejected.

5. The final acceptance of the tender will rest with the Sanitary Engineer who does not bind himself to accept the lowest or any tender or to assign any reason whatever for the rejection of any tender.

6. Within eight days of the acceptance of the tender, the successful competitor will be required to execute the usual contract bond, in default of which his tender will be considered cancelled and his earnest money will be forfeited.

7. The name of the successful competitor, whose tender has been accepted, will be posted on the Notice Board in the Sanitary Engineer's Office in due course. No enquiries regarding the acceptance or rejection of a tender will receive any reply.

8. On acceptance of one of the tenders, the earnest money on rejected tenders will be returned.

9. Charges on account of scaffolding materials, implements for setting out, barricading, clearing site, supply of water, etc., that may be found necessary during execution will not be paid for separately but should be borne by the contractor.

10. Rates for non-tendered and non-estimated items shall be as per schedule rates of the Department or those fixed by the Sanitary Engineer after working out data with not more than 10 per cent for contractor's profit.

11. In all matters not specifically provided for and in all matters of disputes about rates, quantities, measurements, quality of works, etc., and in all disputes of any kind, the decision of the Director of Public Health will be final and legally binding.

Approximate estimate of quantities for constructing 3rd stage drains in Dodballapur Town.

No.	Items of work	Unit	Quantity
1	Constructing 'L' shaped drains as per design with 3″ thick burnt stone slabs 1′ wide for vertical and 1′ wide for bed over 9″×4½″ surki concrete bed at vertex of the angle and cement concrete filled at the angle joint with cement plastering and pointing the joints of slabs, etc., complete with earthwork with available old slabs	R.ft.	400
2	Constructing silk pattern drain as per design with old slabs including removing conveying to required place and refixing and splitting to required size with cement concrete for sides and bottom in the proportion of 1 : 2 : 4 on 3″ thick burnt stone jelly surki concrete 1 : 1 : 4, forming channel at the centre and surfaces plastered over by ½″ cement plastering 1 : 3 including earthwork, etc., complete design of 3″ section	,,	1,850
3	Do with new burnt stone slabs do ..	,,	650
4	Do with new burnt stone slabs design of ½″ section	,,	70
	Rates may be quoted to the following items :—		
	CONSTRUCTION OF TUNNELS.		
1	Earthwork excavating foundation	..	..
2	Filling foundation in stone jelly concrete with chunam mortar ..	C.ft.	
3	Do in surki mortar	..	..
4	Rough stone in clay	C.ft.	..
5	Do in mortar	,,	..
6	Size stone in clay	,,	..
7	Do in mortar	,,	..
8	Do in surki mortar	,,	..
9	Providing and fixing 6″ thick burnt stone slabs for covering tunnels with rough dressing	S.ft.	..
10	Providing and fixing 3″ thick burnt stone slabbed parapet nicely dressed	,,	..
11	Cement pointing	Sqr.	..

Notification dated 3rd June 1940.

Notice is hereby given that sealed tenders will be received at the Office of the Sanitary Engineer, Bureau of Sanitary Engineering, Bangalore, up to 1 P.M. on 1st July 1940, for constructing a Suction well and draw-off arrangements from the river at Belur for giving water-supply to Belur town. An approximate estimate of quantities is given below. These quantities are not guaranteed. The work should be completed by October 1940.

2. The plans, detailed estimate and conditions may be seen at the Sanitary Engineer's Office between the hours of 11 A.M. and 5 P.M. on all office days.

3. Tenders should be submitted on printed forms which may be obtained from the Sanitary Engineer on a payment of annas 4 for each form. No tenders not in printed form will be accepted. The tenders should be accompanied by a statement in the form given below, showing the rates at which the different items specified will be executed.

4. Each tender must be accompanied by a deposit of Rs. 75 in cash (no cheques will be accepted) as earnest money, and be superscribed "Tender for constructing a Suction well and draw-off arrangements from the river at Belur for giving water supply to Belur town in default of which the tenders will be rejected.

5. The final acceptance of the tender will rest with the Sanitary Engineer, who does not bind himself to accept the lowest or any tender or to assign any reason whatever for the rejection of any tender.

6. Within eight days of the acceptance of the tender, the successful competitor will be required to execute the usual contract bond, in default of which his tender will be considered cancelled and his earnest money will be forfeited.

7. The name of the successful competitor, whose tender has been accepted, will be posted on the Notice Board in the Sanitary Engineer's Office in due course. No enquiries regarding the acceptance or rejection of a tender will receive any reply.

8. On acceptance of one of the tenders, the earnest money on rejected tenders will be returned.

9. Charges on account of scaffolding materials, implements for setting out, barricading, clearing site, supply of water, etc., that may be found necessary during execution will not be paid for separately but should be borne by the contractor.

10. Rates for non-tendered and non-estimated items shall be as per schedule rates of the Department or those fixed by the Sanitary Engineer after working out data with not more than 10 per cent for contractor's profit.

11. In all matters not specifically provided for and in all matters of dispute about rates quantities, measurements, quality of works, etc., and in all disputes of any kind, the decision of the Sanitary Engineer will be final and legally binding.

Approximate quantities for the work of constructing a suction well and draw off arrangements from the river at Belur for giving water supply to Belur Town.

No.	Name of work	Unit	Quantity
	I. Suction well 8′ diar. 18′ deep.		
1	Earthwork excavation by sinking R.C.C. well curb of cutting edge in all soil—		
	,, 1st fathom	C.yd.	14
	,, 2nd fathom	,,	14
	,, 3rd fathom	,,	14
2	Supplying at the spot and fixing 4½″ thick R.C.C. well curbs including cutting edge, etc., complete 8′ inner diameter 1¼′ each curb with weep holes ..	C.ft.	227
3	Providing and fixing 8″×4″ R. S. girders on the top of well	C wt.	2.89
4	Providing and fixing R.C.C. slabs of 3″ thick over the well for covering ..	S.ft.	64
5	Providing and fixing iron shutter with frame locking arrangement 3′×2′ ..	No.	1
6	Providing 22′ long iron ladder sith ¾″ diar. rods 1½′ long for horizontals and ⅜″×1½″ flat iron for verticals	No.	1
	II. Draw off arrangements.		
1	Earthwork excavation for laying pipe line in all soils and refilling with consolidation	C.yd.	336
2	Do for jelly duct without filling	,,	101
3	Rough stone pitching with jelly packing the sides of jelly duct ..	,,	18
4	Providing and filling 3″ to 6″ jelly for the duct	,,	25
5	Do 1½″ to 2″ jelly	,,	12
6	Rough stone revetment with jelly packing	,,	25
7	Making lead joints to 8″ C. I. pipes including laying	No.	8
8	Fixing 8″ sluice valve inside the well	,,	1
9	Providing a valve key for operating 8″ valve with 20′ long rod, etc. ..	,,	1
10	Turfing	Sqr.	22
11	Earth filling with excavated earth	C.yd.	34

Notification dated 3rd June 1940.

Notice is hereby given that sealed tenders will be received at the Office of the Sanitary Engineer, Bureau of Sanitary Engineering, Bangalore, up to 1 P.M. on 1st July 1940, for the work of constructing a pump house for water supply to Belur Town. An approximate estimate of quantities is given below. These quantities are not guaranteed. The work should be completed by the end of October 1940.

2. The plans, detailed estimate and conditions may be seen at the Sanitary Engineer's Office between the hours of 11 A.M. and 5 P. M. on all office days.

3. Tenders should be submitted on printed forms which may be obtained from the Sanitary Engineer on a payment of four annas for each form. No tenders not in printed form will be accepted. The tenders should be accompanied by a statement in the form given below, showing the rates at which the different items specified will be executed.

4. Each tender must be accompanied by a deposit of Rs. 175 in cash (no cheques will be accepted) as earnest money, and be superscribed "Tender for the Work of Constructing a Pump House for Water Supply to Belur Town" in default of which the tenders will be rejected.

5. The final acceptance of the tender will rest with the Sanitary Engineer, who does not bind himself to accept the lowest or any tender or to assign any reason whatever for the rejection of any tender.

6. Within eight days of the acceptance of the tender, the successful competitor will be required to execute the usual contract bond, in default of which his tender will be considered cancelled and his earnest money will be forfeited.

7. The name of the successful competitor, whose tender has been accepted, will be posted on the Notice Board in the Sanitary Engineer's Office in due course. No enquiries regarding the acceptance or rejection of a tender will receive any reply.

8. On acceptance of one of the tenders, the earnest money on rejected tenders will be returned.

9. Charges on account of scaffolding materials, implements for setting out, barricading, clearing site, supply of water, etc., that may be found necessary during execution will not be paid for separately but should be borne by the contractor.

10. Rates for non-tendered and non-estimated items shall be as per schedule rates of the Department or those fixed by the Sanitary Engineer after working out data with not more than 10 per cent for contractor's profit.

11. In all matters not specifically provided for and in all matters of dispute about rates, quantities, measuremnts, quality of works, etc., and in all disputes of any kind, the decision of the Sanitary Engineer will be final and legally binding.

Approximate quantities for the work of constructing a pump house for water supply to Belur Town.

No.	Items of work	Unit	Quantity
1	Earthwork excavating the foundation and filling in the basement with consolidation	C.yd.	46
2	R.C.C. concrete with burnt stone jelly in the proportion of 1 : 2 : 4 for foundation	C.ft.	202
3	Burnt stone Jelly concrete with surki mortar for filling foundation ..	,,	346
4	Burnt size stone in surki mortar for filling foundation and basement ..	,,	1,411
5	Burnt brick in surki mortar for superstructure	,,	1,392
6	Burnt stone slabs 4½″ to 6″ thick neatly dressed and fixed	S.ft.	234
7	Mysore teakwood door frame 6″×4″ with panelled shutters 1¼″ thick 4 leaves, 2 fold with locking arrangements complete with one brass aligarh lock	,,	77
8	Teakwood door with 3″×4″ frame 1¼″ thick battened shutters, fittings, etc., complete	,,	18
9	Teakwood windows with ¾″ iron bars 4″×3″ frame, glazed shutters inside and panelled shutters outside with fittings, etc., complete	,,	84
10	R.C.C. ornamental perforated ventilator	,,	6
11	Providing and fixing R.C.C. slabs 6″ to 9″ thick	C.ft.	19
12	Providing and fixing 8″×8″×8′ Cut stone pillers as per design with capitals and bases, etc., complete	No.	2
13	Do half pillers	,,	2
14	Providing and fixing rolled steel girders	Cwt.	4.81
15	Roofing with R.C.C. 4½″ thick with surki concrete and two courses of flat tiles and ½″ cement plastering at top, bottom, etc., complete ..	..	0.81
16	Constructing parapet wall as per design	R.ft.	21
17	9″ cornice with B. B. in chunam plastering and white washing, etc., complete	R.ft.	24
18	Mysore teakwood wrought and put up including wood oiling	C.ft.	35.86
19	Roofing with corrugated red cement trafford asbestos sheets ¼″ thick including teak wood battens bolts, nuts, etc., complete	Sqr.	786
20	Providing and fixing above ridging	R.ft.	20
21	Teakwood ornamented eave board 9″×1″ including fittings and painting ..	R.ft.	140
22	Boxing 9″×4″ girders with B. B. in chunam and cement plastering, etc., complete	,,	35½
23	Providing 1″ thick cement concrete over the basement	C.ft.	17
24	Providing and fixing T. W. finials and pendants	No.	10
25	½″ chunam plastering	Sqr.	26.69
26	White and colour washing, 2 coats	,,	26.69
27	Flooring with 1½″ cement concrete on 3″ lime concrete bed including cement plastering, cutting tiles with red ochre	,,	3.81
28	Cement pointing to basement	,,	4.42
29	Green painting of lac factory to doors and windows	,,	3.57

Notification dated 3rd June 1940.

Notice is hereby given that sealed tenders will be received at the Office of the Sanitary Engineer, Bureau of Sanitary Engineering, Bangalore, up to 1 P.M. on 24th June 1940, for labour portion of the work for laying pipe lines for water supply to Belur Town. An approximate estimate of quantities is given below. These quantities are not guaranteed. The work should be completed by September 1940.

2. The plans, detailed estimate and conditions may be seen at the Sanitary Engineer's Office between the hours of 11 A.M. and 5 P. M. on all office days.

3. Tenders should be submitted on printed forms which may be obtained from the Sanitary Engineer on a payment of four annas for each form. No tenders in non-prescribed form shall be accepted. The tenders should be accompanied by a statement in the form given below, showing the rates at which the different items specified will be executed.

4. Each tender must be accompanied by a deposit of Rs. 272 in cash (no cheques will be accepted) as earnest money, and be superscribed " Tender for labour portion of the work for laying pipe lines for water supply to Belur Town ", in default of which, the tenders will be rejected.

5. The final acceptance of the tender will rest with the Sanitary Engineer, who does not bind himself to accept the lowest or any tender or to assign any reason whatever for the rejection of any tender.

6. Within eight days of the acceptance of the tender, the successful competitor will be required to execute the usual contract bond, in default of which, his tender will be considered cancelled and his earnest money will be forfeited.

7. The name of the successful competitor, whose tender has been accepted, will be posted on the Notice Board in the Sanitary Engineer's Office in due course. No enquiries regarding the acceptance or rejection of a tender will receive any reply.

8. On acceptance of one of the tenders, the earnest money on rejected tenders will be returned.

9. Charges on account of scaffolding materials, implements for setting out, barricading, clearing site, supply of water, etc., that may be found necessary during execution will not be paid for separately but should be borne by the contractor.

10. Rates for non-tendered and non-estimated items shall be as per schedule rates of the Department or those fixed by the Sanitary Engineer after working out data with not more than 10 per cent for contractor's profit.

11. In all matters not specifically provided for, and in all matters of disputes about rates, quantities, measurements, quality of works, etc.; and in all disputes of any kind, the decision of the Sanitary Engineer will be final and legally binding.

Approximate estimate of quantities for labour portion of the work for laying pipe lines for water supply to Belur Town.

No.	Items of work	Unit	Quantity
	Rising main and distribution lines.		
1	Earthwork excavating the trench for laying pipe lines in all soils and refilling the same with consolidation	C.yd.	2,083
2	Making lead joints to 4" C. I. pipes including cuts and fixing of specials wherever necessary	No.	650
3	Do 3" C. I. pipes do do ..	,,	70
4	Unloading 3" and 4" C. I. pipes from the railway waggons at Hassan ..	Ton	49·65
5	Loading and carting 4" C. I. pipes from Hassan Railway Station to Belur unloading and stacking in heaps on the rising main and distribution lines—distance of 24 miles	Cwt.	985
6	Constructing valve cistern as per type design including the cost of C. I. manhole cover and shutters, fixing, etc., complete	No.	6
7	Constructing gland cock cisterns including fixing of gland cocks as per type design	,,	30
8	Constructing platforms for public fountains as per type design ..	,,	20
9	Supplying and fixing cement concrete R.C.C. props for the pipe lines at the crossings of fort ditch	C.ft.	203
10	Earthwork excavating and forming embankment including watering and tamping	C.yd.	250
11	Laying and jointing 1" G. I. pipes with cuts and threads including earthwork 1½' deep	R.ft.	640
12	Do ¾" G. I. pipes do do ..	,,	2,095

Notification dated 3rd June 1940.

Notice is hereby given that sealed tenders will be received at the Office of the Sanitary Engineer, Bureau of Sanitary Engineering, Bangalore, upto 1 P.M. on 26th June 1940, for constructing third stage drains in Hassan Town. An approximate estimate of quantities is given below. These quantities are not guaranteed. The work should be completed by November 1940.

2. The plans, detailed estimate and conditions may be seen at the Sanitary Engineer's Office between the hours of 11 A.M. and 5 P.M. on all office days.

3. Tenders should be submitted on printed forms which may be obtained from the Sanitary Engineer on payment of annas four for each form. The tenders should be accompanied by a

statement in the form given below, showing the rates at which the different items specified will be executed.

4. Each tender must be accompanied by a deposit of Rs. 530 in cash (no cheques will be accepted) as earnest money, and be superscribed "Tender for constructing third stage drains in Hassan Town," in default of which, the tenders will be rejected.

5. The final acceptance of the tender will rest with the Sanitary Engineer, who does not bind himself to accept the lowest or any tender or to assign any reason whatever for the rejection of any tender.

6. Within eight days of the acceptance of the tender, the successful competitor will be required to execute the usual contract bond, in default of which, his tender will be considered cancelled and his earnest money will be forfeited.

7. The name of the successful competitor, whose tender has been accepted, will be posted on the Notice Board in the Sanitary Engineer's Office in due course. No enquiries regarding the acceptance or rejection of a tender will receive any reply.

8. On acceptance of one of the tenders, the earnest money on rejected tenders will be returned.

9. Charges on account of scaffolding materials, implements for setting out, barricading, clearing site, supply of water, etc., that may be found necessary during execution will not be paid for separately but should be borne by the contractor.

10. Rates for non-tendered and non-estimated items shall be as per schedule rates of the Department or those fixed by the Sanitary Engineer after working out data with not more than 10 per cent for contractor's profit.

11. In all matters not specifically provided for and in all matters of disputes about rates, quantities, measurements, quality of works, etc., and in all disputes of any kind, the decision of the Sanitary Engineer will be final and legally binding.

Estimate for the approximate quantities for the work of constructing third stage drains in Hassan Town.

No.	Items of work	Unit	Quantity
1	Constructing silk pattern drain with new burnt stone slabs cheeks 3″ thick on 3″ surki concrete and 1½″ cement concrete 1 : 2 : 4 bed and moulding plastering the surface with ½″ thick with cement mortar 1 : 3 joints of slabs cement pointed including earthwork, etc., complete as per design of 3″ section	R.ft.	3,835
2	Do 4″ section	,,	345
3	Do with available old slabs including removing and refixing and splitting to required size and conveying to required place, etc., complete as above design of 3″ section ..	,,	1,410
4	Constructing semi peg top section drain on 4½″ cement concrete bed 1 : 2 : 4 and moulding and surface plastered with ½″ thick cement mortar 1 : 3 including earthwork, etc., complete as per design of 3″ section	,,	1,010
	OUTFALL WORKS.		
5	Constructing manholes 4′ dia. in burnt brick in cement mortar on cement concrete bed of 1′ depth, wall 1½′ thick plastering inside with cement mortar ½″ thick, channeling, benching, with cement concrete inside the manhole, providing and fixing manhole frame and cover of 2 cwt. including earthwork excavation, etc., complete upto 4′ depth	No.	15
6	Earthwork excavation and refilling the trench with consolidation for laying the stoneware pipe line of 12′ dia.	C.yd.	600
7	Laying and jointing Mysore Stoneware pipes of 12″ dia. with cement mortar joints, hemp, etc., including cost of pipe complete (only tested quality to be used)	R.ft.	1,350
8	Providing and fixing new S.W. gulley trap of 9″×6″ in cement concrete in the open drain to connect the same to the underground pipe line of 6″ dia. including laying and jointing earthwork excavation, refilling and cost of pipe, etc., complete ..	No.	2
9	Providing and fixing iron gratings of 4′×2′ in open drain ..	,,	2

No.	Name of work	Unit	Quantity
	CONSTRUCTING TUNNELS AT JUNCTIONS OF ROAD.		
10	Earthwork excavating the foundation	C.yd.	48
11	New size stone in surki mortar	C.ft.	1,296
12	Cement pointing to stone masonry	Sqr.	18.64
13	Providing and fixing new burnt stone slabs 6" thick roughly dressed over the masonry for covering, including forming earthwork over it, etc., complete	S.ft.	864

K. S. HUTCHA RAO,
Sanitary Engineer.

KOLAR DIVISION.

Abstract Notification dated 28th May 1940.

The attention of the public is invited to the detailed Notification, dated 26th May 1940, published on pages 1295-1297, Part VI of the *Mysore Gazette*, dated 6th June 1940, *re* tenders for constructing a Masonry Dam and Head Sluice with earthen flank bund across the halla at the junction of the Weir Halla of Doddakurugode Tank and other small hallas and opening out a Feeder Channel from the Dam to the Kudumalakunte Malleswarakere, Register No. 18, in Goribidnur Taluk.

The last date for lodging of tender is 21st June 1940, up to 2 P.M.

Abstract Notification dated 28th May 1940.

The attention of the public is invited to the detailed Notification, dated 26th May 1940, published on pages 1298-1299, Part VI of the *Mysore Gazette*, dated 6th June 1940, regarding tenders for constructing a car shed for the car of Sree Ramalingeswara Temple at Avani, Mulbagal Taluk. The last date for lodging of tender is up to 2 P.M. on 21st June 1940.

Notification dated 8th June 1940.

1. Sealed tenders will be received at the Office of the Executive Engineer, Kolar Division, up to 2 P.M. on 29th June 1940, for maintenance work to Kandavara Amanikere (Major) R. No. 6 in Chikballapur Taluk.

2. Tenders in the prescribed form obtainable from the Office of the Executive Engineer, Kolar Division, should be addressed to the Executive Engineer, Kolar Division, in a sealed cover and superscribed as "Tender for maintenance work of Kandavara Amanikere (Major) R.No. 6 in Chikballapur Taluk." The name of the tenderer should also be superscribed on the top of the cover.

3. Each tender must be accompanied by a treasury chellan for earnest money of Rs. 130, paid to the treasury to the credit of "17 (*a*) P. W. Deposits," against the account of the Executive Engineer, Kolar Division, Kolar. The earnest money of the successful tenderer will be retained as security for the due fulfilment of the contract. Such a deposit in cash will not carry any interest.

4. The tenders will be opened in the presence of such tenderers who wish to be present on 29th June 1940 at Kolar. The final acceptance of the tender will rest with the Executive Engineer, who does not bind himself to accept the lowest or any tender, or to assign any reason whatever for the rejection of any.

5. The name of the successful tenderer will be posted on the Notice Board in the Executive Engineer's Office in due course. Within eight days of the acceptance of the tender, the successful tenderer will be required to execute an agreement in the departmental schedule contract form for the due fulfilment of the contract and for the execution of all items of work in accordance with the Bombay Specifications. A reserve of 5 per cent will be withheld in the work bills of the contractor and the same repaid after the due fulfilment of the contract.

6. Failure to comply with the condition 5 above or to agree to carry out the work in accordance with the specifications and agreements in force will entail forfeiture of the earnest money.

7. The earnest money of rejected tenders will be returned on submission of the receipt originally granted, along with an application to the Executive Engineer.